
Preventing Violence, Trauma, and the Use of Seclusion and Restraint in Mental Health Settings

Master Reference List

The following master reference list is a compilation of all references used in creating the multiple training modules of this curriculum. The reference list is in alphabetical order, with each reference followed by at least one Keyword (in **ALL-CAPS BOLD**) that indicates the corresponding module for the reference. A key is included below for your use.

<u>Keyword(s)</u>	<u>Training Module</u>
ASSUMPTIONS	Current Assumptions Regarding S/R Use
DEBRIEFING	Debriefing Activities
EFFECTS OF TRAUMA	The Neurobiological and Psychological Effects of Trauma
ELEVATING	Workforce: Elevating the Importance of Seclusion and Restraint
EXP. OF S/R	The Experience of Seclusion and Restraint
LEADERSHIP	Leadership Toward Organizational Change
PEER ROLES	Consumer/Peer Roles in Inpatient Settings
REAL REDUCTION	Real Reduction Experiences (state specific)
S/R RISK FACTORS	Identifying and Managing Seclusion/Restraint Risk Factors
SETTING THE STAGE	Setting the Stage/Overview
S/R TOOLS	Seclusion/Restraint Prevention Tools
TRAUMA INFORMED CARE	Trauma Informed Care – An Overview of Fundamental Concepts

[Kirjoita teksti]

Acoca, L., & Dedel, K. (1998). No place to hide: Understanding and meeting the needs of girls in the California juvenile justice system. San Francisco, CA: National Council on Crime and Delinquency. **EFFECTS OF TRAUMA**

American Psychiatric Association (APA). (1980). Diagnostic and statistical manual of mental disorders (DSM 3), third edition. Washington, DC: APA. **TRAUMA INFORMED CARE**

American Psychiatric Association (APA). (2013). Diagnostic and statistical manual of mental disorders (DSM 5), fifth edition. Washington, DC: APA. **TRAUMA INFORMED CARE**

American-Statesman Staff. (2003, May 18). Deaths by restraint Children in treatment at risk. A Texas toll: deaths attributed to restraints. Retrieved from <http://www.statesman.com/specialreports/content/specialreports/restraint/0518cases.html> **ASSUMPTIONS**

Anthony, W. A. (2004, Fall) Overcoming obstacles to a recovery-oriented system: The necessity for state-level leadership. NASMHPD/NTAC e-Report on Recovery. Retrieved November 28, 2004 from <http://www.nasmhpd.org/publications> (<http://www.nasmhpd.org/publications>). **LEADERSHIP**

Anthony, W.A. & Huckshorn, K.A. (in press). Principled leadership in mental health systems and programs. Center for Psychiatric Rehabilitation. Boston: Boston University Press. **LEADERSHIP**

Arroyo, W. (2001). PTSD in children and adolescents in the juvenile justice system. S. Eth (Ed.) PTSD in Children and Adolescents, Review of Psychiatry Series, Volume 20, Number 1; Oldham JM and Riba, MB, series editors (59-86). Washington DC: American Psychiatric Publishing. **TRAUMA INFORMED CARE**

Ayuso-Mateos, J.L. (2006). Global burden of panic disorder in the year 2000: Version 1 estimates. World Health Organization. Retrieved on July 6, 2011 from, www.who.int/healthinfo/statistics/bod_panicdisorder.pdf **TRAUMA INFORMED CARE**

Beail, N. & Warden S., (1995), Sexual abuse of adults with learning disabilities, Journal of Intellectual Disabilities, Oct:39 (Pt 5): 382-7. **TRAUMA INFORMED CARE**

Benedetti A (2006). Personal communication. **REAL REDUCTION**

Biesecker, M., and Cain, B. (2008, March 2). Patients' deaths spur questions – Problems at N.C. mental hospitals are obscured by secrecy. Raleigh News and Observer. Retrieved on March 7, 2008, from <http://www.charlotte.com/local/story/518250.html> **ASSUMPTIONS**

Binder, R., & McCoy, S. (1983). A study of patients' attitudes toward placement in seclusion. Hospital and Community Psychiatry, 34, 1052-1054. **ASSUMPTIONS**

Blatt, B. (1970). Exodus from Pandemonium. Boston: Allyn and Bacon. **TRAUMA INFORMED CARE**

BLINK (2006, January 26). Black leaders launch attack on mental health bill. Black Information Link Press Release. Retrieved on January 27, 2006, from <http://www.blink.org.uk/print.asp?key=10522> **ASSUMPTIONS**

Bloom, S. (2002, Summer/Fall). Creating sanctuary. networks, 1. Alexandria, VA: National Technical Assistance Center, National Association of State Mental Health Program Directors. **TRAUMA INFORMED CARE**

[Kirjoita teksti]

Bluebird, G. (2008). Paving New Ground: Peers Working in In-Patient Settings. Alexandria, VA: National Association of State Mental Health Program Directors (NASMHPD), National Technical Assistance Center for State Mental Health Planning (NTAC). **PEER ROLES**

Bluebird, G. (2004). Redefining Consumer Roles: Changing culture and practice in mental health settings. *Journal of Psychosocial Nursing and Mental Health Services*, 42 (9), 46-53 **PEER ROLES**

Bluebird, G., & Huckshorn, K. (2000). Unpublished seclusion- and restraint-related papers. South Florida State Hospital, Pembroke Pines, FL. **DEBRIEFING**

Borkman, T. (1975). Experiential Knowledge: A new concept for the analysis of self-help groups. *Social Service Review*, 50(3), 445-456. **PEER ROLES**

Breslau, N. (2002). Epidemiologic studies of trauma, posttraumatic stress disorder, and other psychiatric disorders. *Canadian Journal of Psychiatry*, 47(10), 923-9. **EFFECTS OF TRAUMA**

Brooks, K., Mulaik, J., Gilead, M. & Daniels, B. (1994). Patient overcrowding in psychiatric hospital units: Effects on seclusion and restraint. *Administrative Policy in Mental Health*, 22, 133-144. **ASSUMPTIONS**

Busch, A. B., & Shore, M. F. (2000). Seclusion and restraint: A review of recent literature. *Harvard Review of Psychiatry*, 8, 261-270. **ASSUMPTIONS**

California Department of Developmental Services. Mechanical Restraint July – December 2005. Retrieved on March 7, 2008, from http://www.dds.ca.gov/Restraint/docs/JulDec_2005RestraintData.pdf. **ASSUMPTIONS**

Campbell, J., & Leaver, J. (2003). Emerging new practices in organized peer support. A report from NTAC's National Experts Meeting on Emerging New Practices in Organized Peer Support, March 17-18, 2003 in Alexandria, VA. Alexandria, VA: National Technical Assistance Center for State Mental Health Planning, National Association of State Mental Health Program Directors. **PEER ROLES**

Carmen, E., Crane, B., Dunicliff, M., Holochuck, S., Prescott, L., Reiker, P., Stefan, S., & Stromberg, N. (1996). Massachusetts Department of Mental Health, Task Force on the Restraint and Seclusion of Persons Who Have Been Physically or Sexually Abused: Report and recommendations. Boston, MA: Massachusetts Department of Mental Health. **TRAUMA INFORMED CARE**

Carter Center, October 28, 2004, Suite Brings Changes at Oregon State Hospital, Retrieved on June 23, 2006 from http://www.cartercenter.org/healthprograms/1992_adoc6.htm **ASSUMPTIONS**

Cates D (2006). Personal communication. **REAL REDUCTION**

Center for Mental Health Services (CMHS) & Human Resource Association of the Northeast (HRANE). (1995, July). Dare to vision, shaping the national agenda for abuse and mental health services. Proceedings of a conference in Arlington, VA. **TRAUMA INFORMED CARE**

Champagne, T. (2003). Sensory modulation and environment: Essential elements of occupations. Champagne Conferences & Consultation: Southampton, MA. **S/R TOOLS**

Champagne T, Stromberg N. (2004): Sensory approaches in inpatient settings: innovative alternatives to seclusion and restraint. *Journal of Psychosocial Nursing*, 42 (9) 35-44, 2004. **S/R TOOLS**

[Kirjoita teksti]

Chapman, D.P., Whitfield, C.L., Felitti, V.J., Dube, S.R., Edwards, V.J., & Anda, R.F. (2004). Adverse childhood experiences and the risk of depressive disorders in adulthood. *J Affect Disord*, 82(2):217-25. **TRAUMA INFORMED CARE**

Charlton et al, (2004). Facts on traumatic stress and children with developmental disabilities. National Child Stress Network: Adapted Trauma Treatment Standards Work Group, Subgroup on Developmental Disabilities, Durham, NC and Los Angeles, CA **TRAUMA INFORMED CARE**

Chartier MJ, Walker JR, Naimark B (2007) Childhood abuse, adult health, and health care utilization: Results from a representative community sample. *Am J Epidemiol*, 165:1031–1038 **TRAUMA INFORMED CARE**

Chesney-Lind, Meda and Randall G. Shelden. (1997). Girls, Delinquency and Juvenile Justice. Pacific Grove, CA: Brooks/Cole. **TRAUMA INFORMED CARE**

Child Welfare League of America. (2003). National Quarterly Report Card: Best practices in behavioral support and intervention. Retrieved from <http://www.cwla.org>. January 2, 2004. **SETTING THE STAGE**

Chou, K. R., Lu, R. B., & Mao, W. C. (2002). Factors relevant to patient assaultive behavior and assault in acute inpatient psychiatric units in Taiwan. *Archives of Psychiatric Nursing*, 16, 187-95. **S/R RISK FACTORS**

Clarke, G., Herinckx, H., Kinney, R., Paulson, R., Paulson, R; Cutler, D., & Oxman, E. (2000) “Psychiatric hospitalizations, arrests, emergency room visits, and homelessness of clients with serious and persistent mental illness: Findings from a randomized trial of two ACT programs vs. usual care” *Mental Health Services Research*, 2, 155-164. **PEER ROLES**

Clay, S.; Schell, B.; Corrigan, P.W.; Ralph, Ruth O. (Eds.) (2005). On our own together: peer programs for people with mental illness. Vanderbilt University Press: Nashville. **PEER ROLES**

Colton, D. (2004). Checklist for assessing your organization’s readiness for reducing seclusion and restraint. Unpublished paper. Staunton, VA: Commonwealth Center for Children and Adolescents. **SETTING THE STAGE**

Commonwealth of Massachusetts, Moving Massachusetts toward a Trauma-Informed, Integrated System of Care: A report of the Substance Abuse and Mental Health Subcommittee of the Survivor Services Committee of the Governor's Commission on Sexual and Domestic Violence of the Commonwealth of Massachusetts, March 13, 2006. **TRAUMA INFORMED CARE**

Cook, J. A., Jonikas, J. A., & Laris, A. (2002). Increasing self-determination: Advance crisis planning with mental health consumer inpatient and other settings. Chicago, IL: University of Illinois at Chicago Mental Health Services Research Program. **DEBRIEFING, TRAUMA INFORMED CARE**

Cook, F., Ciorciari, J., Varker, T., & Devilly, G.J. (2009). Changes in long term neural connectivity following psychological trauma. *Clinical Neurophysiology*, 120(2), 309-14. **EFFECTS OF TRAUMA**

Crisis Prevention Institute, Inc. (1983). Nonviolent intervention: A program focusing on the management of disruptive, assaultive, or out of control behavior (3rd Edition, 1995). Brookfield, WI: Crisis Prevention Institute, Inc. **DEBRIEFING**

CSAT/SAMHSA, 2000, <http://www.csat.samhsa.gov/> **TRAUMA INFORMED CARE**

Cullinan, K., (2006, November 7). Officials say hiring at state hospitals is difficult. *Washington Examiner*. Retrieved on March 7, 2008 from http://www.examiner.com/a-383324~Official_says_hiring_at_state_hospitals_is_difficult.html. **ASSUMPTIONS**

[Kirjoita teksti]

Curtis, L., & Hodge, M. (1995). Ethics and boundaries in community support services: New challenges. *New Directions for Mental Health Services*, 66,43-59. **PEER ROLES**

Cusack, K. J., Frueh, B. C., Bray, KT. (2004). Trauma history screening in a community mental health center, *Psychiatric Services*, 155:157-162. **TRAUMA INFORMED CARE**

De Bellis et al. (1999). A. E. Bennett Research Award. Developmental traumatology. Part II: brain development. *Bio Psychiatry* 157(&):1175-1177. **EFFECTS OF TRAUMA**

Department of Developmental Services, State of California. January 8, 2007. Restraint Data for Developmental Centers and State-Operated Community Facilities. Retrieved on January 17, 2006 from: http://www.dds.cahwnet.gov/Restraint/RD_Home.cfm. **ASSUMPTIONS**

Dickinson, E. (1924). *The Complete Poems of Emily Dickinson*. Boston: Little, Brown; Bartleby.com, 2000. www.bartleby.com/113/. [May 19, 2007] **PEER ROLES**

DOC, Juvenile Justice Recidivism Baseline Report for 1998. **TRAUMA INFORMED CARE**

Donovan, A., Plant, R., Peller, A., Siegal, L., & Martin, A (2003) Two-year trends in the use of seclusion and restraint among psychiatrically hospitalized youths, *Psychiatric services*; 54 (7), 987-993. **ASSUMPTIONS**

D’Orio, B.M., Purselle, D., Stevens, D., & Garlow, S.J. (2004). Reduction of episodes of seclusion and restraint in a psychiatric emergency service. *Psychiatric Services*, 55, 581-583. **ELEVATING, SETTING THE STAGE**

Duhart, D.T. (2001). Violence in the workplace, 1992-1999 Bureau of Justice Statistics Report. US Department of Justice, Bureau of Justice Statistics. NJC 190076. **S/R RISK FACTORS**

Duxbury, J. (2002). An evaluation of staff and patient views of and strategies employed to manage inpatient aggression and violence on one mental health unit: A pluralistic design. *Journal of Psychiatric Mental Health Nursing*, 9(3), 325-37. **S/R RISK FACTORS, SETTING THE STAGE**

Eren-Kocak, E., Kilic, D. Aydin, I., & Hizli, F.G. (2009). Memory and prefrontal functions in earthquake survivors: Differences between current and past post-traumatic stress disorder patients. *Acta Psychiatr Scand*, 119, 35-44. **EFFECTS OF TRAUMA**

Fallot, R., & Harris, M. (2002). Trauma informed services: A self-assessment and planning protocol 1-5. Unpublished papers. Washington, DC: Community Connections. **TRAUMA INFORMED CARE**

Felitti, V. J., Anda, R. F. & Nordenberg, D. (1998). Relationship of Childhood abuse and household dysfunction to many of the leading causes of death in adults. The adverse childhood experiences (ACE) study. *American Journal of Prevention Medicine*, 14, 245-258. **TRAUMA INFORMED CARE, SETTING THE STAGE**

Fisher, W. (1994). Restraint and seclusion: A review of the literature. *American Journal of Psychiatry*, 151, 1584-1591. **S/R RISK FACTORS**

Fishkind, A. (2002, April). Calming agitation with words, not drugs: 10 commandments for safety. *Current Psychiatry*, 1(4), 32-39. **DEBRIEFING**

[Kirjoita teksti]

Fisk, M., Rowe, M., Brooks, R., Gildersleeve, D. (2000) Integrating Consumer Staff Members Into a Homeless Outreach Project: Critical Issues and Strategies. *Psychiatric Rehabilitation Journal* 23 (3): 244-252 **PEER ROLES**

Folger, R. & Starlicki, D. (1995). A popcorn model of workplace violence. Paper presented at the annual meeting of the Academy of Management, Vancouver, British Columbia. **S/R RISK FACTORS**

Ford, J. (2003, January 17). Trauma Adaptive Recovery Group Education and Therapy (TARGET). Retrieved from www.traumamatters.org/documents/TARGET--JulianFord.pdf on January 17, 2003. **TRAUMA INFORMED CARE**

Frueh, B., Knapp, R., Cusack, K., Grubaugh, A., Sauvageot, J., Cousins, V., Yim, E., Robins, C., Monnier, J., Hiers, T. (2005). Special Section on Seclusion and Restraint: Patients' Reports of Traumatic or Harmful Experiences Within the Psychiatric Setting, *Psychiatric Services* 56:1123-1133. **TRAUMA INFORMED CARE**

Garbino, J. (1999). Lost boys: Why our sons turn violent and how we can save them. New York: Free Press. **TRAUMA INFORMED CARE**

Garland A.F. et al, (2001). Prevalence of psychiatric disorders in youths across five sectors of care. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40, 409-418 **TRAUMA INFORMED CARE**

Giller, E. (1999). What is psychological trauma? Sidran Institute. Retrieved 2000, from <http://www.sidran.org/sub.cfm?contentID=88§ionid=4> **TRAUMA INFORMED CARE**

Gilligan, J. and Lee, B. (2004). Beyond the Prison Paradigm: From Provoking Violence to Preventing It by Creating "Anti-Prisons" (Residential Colleges and Therapeutic Communities). *Ann NY Acad Sci.* 1036: 300-324. **TRAUMA INFORMED CARE**

Goodman, L. A., Dutton, M. A., & Harris, M. (1997). The relationship between violence dimensions and symptom severity among homeless mentally ill women. *Journal of Traumatic Stress*, 10:51-70. **TRAUMA INFORMED CARE**

Glover, R.W. (2005). Reducing the use of seclusion and restraint: A NASMHPD priority. *Psychiatric Services*, 56, 1141-1142. **SETTING THE STAGE**

Goetz, R. (2000). Debriefing critical incidents: A basic model. Microsoft PowerPoint presentation. Clackamas County Community Mental Health, Oregon. **DEBRIEFING**

Gold Coast Bulletin (2005, June 3). Nurses mourn loss - nice guy Phil dies after attack. Ed: B – Main, pg. 7. **ASSUMPTIONS**

Goodman, L. A., Dutton, M. A., & Harris, M. (1997). The relationship between violence dimensions and symptom severity among homeless mentally ill women. *Journal of Traumatic Stress*, 10:51-70. **TRAUMA INFORMED CARE**

Greene RW, Ablon JS (2006). Treating Explosive Kids: The Collaborative Problem Solving Approach. New York: Guilford Press. **REAL REDUCTION**

Grigsby, D. & Stevens, J. (2002). Neurodynamics of personality. Guilford Press: New York. **EFFECTS OF TRAUMA**

Haravuori, H., Laura, S., Mauri M., & Tutkimusryhman, J. (2010). Psychological well-being of the young of Jokela and Kauhajok – how are the young doing today? *Duodecim*, 126(22):2661-8. **TRAUMA INFORMED CARE**

[Kirjoita teksti]

Hardenstine, B. (2001). Leading the way toward a seclusion and restraint-free environment, Pennsylvania's success story. Office of Mental Health and Substance Abuse Services **DEBRIEFING**

Hart, S.D., Michie, C., & Cooke, D.J. (in press). The precision of actuarial risk assessment instruments: Evaluating the "margins of error" of group vs. individual predictions of violence. *British Journal of Psychiatry* (In press). **S/R RISK FACTORS**

Hart, S.D. Kropp, P.R., Laws, D.R., Klaver, J., Logan, C., & Watt, K.A. (2003). The risk for sexual violence protocol. Burnaby, BC: Simon Fraser University, Mental Health Law and Policy Institute. **S/R RISK FACTORS**

Harvey, H. G., Brant, R. A., & Tarrier, N. (2003). Cognitive behavior therapy for posttraumatic stress disorder. *Clinical psychology review*. 23:501-522 **TRAUMA INFORMED CARE**

Hautamaki, A. & Coleman, P.G. (2001). Explanation for low prevalence of PTSD among older Finnish war veterans: Social solidarity and continued significance given to wartime sufferings. *Aging & Mental Health*, 5(2): 165-74. **TRAUMA INFORMED CARE**

Herman, J. (1992). Trauma and recovery: The aftermath of violence – from domestic abuse to political terror. New York, NY: Basic Books. **TRAUMA INFORMED CARE**

Hodas, G.R. (2004). Understanding and responding to childhood trauma: Creating trauma informed care. Unpublished paper. Pennsylvania Office of Mental Health and Substance Abuse Services. **TRAUMA INFORMED CARE, EFFECTS OF TRAUMA, S/R RISK FACTORS**

Holzworth, R., & Wills, C. (1999). Nurses' judgments regarding seclusion and restraint of psychiatric patients: A social judgment analysis. *Research in Nursing and Health*, 2, 189-201. **ASSUMPTIONS**

Honkonen, H., Mattila, A.K., Lehtinen, K., Elo, T., Haataja, R., & Joukamaa, M. (2008). Mortality of Finnish acute psychiatric hospital patients, *Soc Psychiatry Psychiatr Epidemiol*, 43:660–666. **ASSUMPTIONS.**

Hottinen, A., Valimaki, M., Sailas, E., Putkonen, H., Joffe, G., Puukka, P., Noda, T., & Lindberg, N. (2012). Mechanical restraint in adolescent psychiatry: A Finnish Register study. *Nordic Journal of Psychiatry*, 67(2), 132-139. **ASSUMPTIONS**

Hoven, C.W., Duarte, C.S., Lucas, C.P., Wu, P., Mandell, D.J., Goodwin, R.D., Cohen, M., Balaban, V., Woodruff, B.A., Bin, F., Musa, G.J., Mei, L., Cantor, P.A., Aber, J.L., Cohen, P., Susser, E. (2005). Psychopathology Among New York City Public School Children 6 Months After September 11, *Arch Gen Psychiatry*, 62:545-551. Retrieved on July 8, 2011 from <http://archpsyc.ama-assn.org/cgi/content/full/62/5/545>. **TRAUMA INFORMED CARE**

Huckshorn, K. (2001). The reduction of seclusion and restraint. Unpublished paper. South Florida State Hospital, Pembroke Pines, FL. **ELEVATING**

Huckshorn, K.A. (2004). Reducing seclusion and restraint use in mental health settings: Core strategies for prevention. *Journal of Psychosocial and Mental Health Services*. 42(9):22-41. **LEADERSHIP**

Huckshorn, K. A. (2006). Reducing seclusion and restraint: Deep change required. Module presentation for the National Executive Training Institutes. Alexandria, VA: NASMHPD **SETTING THE STAGE**

Hyman, I. A. (1995). Corporal punishment, psychological maltreatment, violence, and punitiveness in America. *Research, advocacy, and public policy. Applied & Preventive Psychology*, 4, 113-130. **ASSUMPTIONS**

[Kirjoita teksti]

Hyman, I. A. (1996). Corporal punishment. In T. Fagan, & P. Wardon (Eds.), *Historical Encyclopedia of School Psychology* (pp. 92-93). Westport, CT: Greenwood. **ASSUMPTIONS**

Inclusion Daily Express. 2006. Deaths in Iowa's Institutions. Retrieved on January 17, 2006 from: <http://www.inclusiondaily.com/news/institutions/ia/iowa.htm>. **ASSUMPTIONS**

Institute of Medicine. (2001). *Crossing the quality chasm: A new health system for the 21st century*. Washington, DC: Institute of Medicine. **TRAUMA INFORMED CARE, SETTING THE STAGE**

Institute of Medicine. (2005). *Quality treatment for people with mental and substance-use disorders*. Rockville, MD: Institute of Medicine Academies Press. **TRAUMA INFORMED CARE, SETTING THE STAGE**

International Association of Psychiatric Rehabilitation Systems. (2003). Language policy guidelines. Retrieved July 6, 2004, from <http://www.iapsrs.org/resources/articles/htm>. **LEADERSHIP, S/R TOOLS**

Janofsky, J. S., Spears, S., and Neubauer, D. N. (1988). Psychiatrists' Accuracy in Predicting Violent Behavior on an Inpatient Unit. *Hosp Community Psychiatry* 39:1090-1094. **ASSUMPTIONS**

Jennings, A. F. (1998). Women's mental health services: A public health perspective. In B. L. Levin, A. K. Blanch, & A. Jennings (Eds.), *Being Invisible in the Mental Health System*, 15:326-347. **TRAUMA INFORMED CARE**

Jennings, A. F. (2004). *The Damaging Consequences of Violence and Trauma: Facts, Discussion points, and Recommendations for the Behavioral Health System*. Alexandria, VA. National Association of State Mental Health Program Directors (NASMHPD)/National Technical Assistance Center (NTAC). **TRAUMA INFORMED CARE**

Jennings, A. F., & Ralph, R. O. (1997). *In their own words, trauma advisory groups report*. Augusta, ME: Maine Department of Mental Health and Mental Retardation and Substance Abuse Services. **TRAUMA INFORMED CARE**

Jennings, D. (2006, January 28). Death raises questions at mental hospital. *Dallas Morning News*. Retrieved on March 7, 2008 from www.dallasnews.com/sharedcontent/dws/dn/latestnews/stories/012906dntexpatientdeath.281850f.html. **ASSUMPTIONS**

Joint Commission. *Root Causes of Restraint Death*. Retrieved from http://www.jointcommission.org/NR/rdonlyres/E0619D1D-0548-4300-8C05-37049FCC62D5/0/se_rc_restraint_deaths.gif. See also <http://www.jointcommission.org/SentinelEvents/Statistics/>. **ASSUMPTIONS**

Johnstone, L., & Cooke, D.J. (2007). *Promoting risk intervention by situational management: Structured professional guidelines for assessing situational risk factors for violence in institutional settings*. National Health Service. Glasgow Caledonian University. Glasgow, Scotland. **S/R RISK FACTORS, SETTING THE STAGE**

Jorgenson, J., Geisler, C., & Buffington, E. (in press). *Roadmap to a restraint-free environment*. Rockville, MD: Center for Mental Health Services, Substance Abuse and Mental Health Services Administration. Available at <http://mentalhealth.samhsa.gov/publications/allpubs/sma06-4055/> **EXP. OF S/R**

Kaltiala-Heino, R., Tuohimaki, C., Korkeila, J., & Lehtinen, V. (2003). Reasons for using seclusion and restraint in psychiatric inpatient care. *International Journal of Law and Psychiatry*, 26(2), 139-149. **ASSUMPTIONS**

Kesey, K. (1962). *One flew over the cuckoo's nest*. New York: Signet. **SETTING THE STAGE**

[Kirjoita teksti]

Keski-Valkama, A., Koivisto, A-M., Eronen, M. & Kaltiala-Heino R. (2010). Forensic and general patients' views of seclusion: a comparison study. *Journal of Forensic Psychiatry and Psychology* 21(3), 446-461. **ASSUMPTIONS**

Keski-Valkama, A., Sailas, E., Eronen, M., Koivisto, A-M, Lonnqvist, J. & Kaltiala-Heino, R. (2010). Who are the restrained and secluded patients: A 15-year nationwide study. *Soc Psychiatr Epidemiol*, 45:1087-1093. **ASSUMPTIONS**

Kessler RC, Chiu WT, Demler O, Walters EE. (2005). Prevalence, severity, and comorbidity of twelve-month DSM-IV disorders in the National Comorbidity Survey Replication (NCS-R). *Archives of General Psychiatry*, 62(6):617-27.

TRAUMA INFORMED CARE

Kessler, R. C., Sonnega, A., Bromet, E., Hughes, M., & Nelson, C. B. (1995). Posttraumatic stress disorder in the national comorbidity study. *Archives of General Psychiatry*, 52, 1048-1060. **EFFECTS OF TRAUMA**

Kilpatrick, D. G., Saunders, B. E., Smith, D. W. (2001). Research in brief: Child and adolescent victimization in America: Prevalence and implications, pp. 163-186. Washington DC: American Psychiatric Press, Inc. **EFFECTS OF TRAUMA**

Koenen, K.C. (2005, August). Genetics of PTSD: A neglected area? *Psychiatric Times*, Vol. XXII, 9. **EFFECTS OF TRAUMA**

Kohn LT, Corrigan JM, Donaldson MS, eds. (1999). *To Err Is Human: Building a Safer Health System*. Washington, DC: Institute of Medicine

Korkeila, J.A., Tuohimäki, C., Kaltiala-Heino, R., Lehtinen, V., & Joukamaa, M. (2002). Predicting use of coercive measures in Finland. *Nord J Psychiatry*, 56(5):339-45. **ASSUMPTIONS**

Lazare A (2004). *On Apology*. New York: Oxford University Press. **REAL REDUCTION**

Koltek, M., Wilkes, TCR, Atkinson, M. (1998). The Prevalence of Posttraumatic Disorder in an Adolescent Inpatient Unit, *Can J Psychiatry*, Vol 43, 65-68. **TRAUMA INFORMED CARE**

Lane, T., Carnazzo, C., Nichols, G., Rogers, J. A., Hill, S., & Bennett, B. (2002, December 26). Speaking out personal experiences of seclusion & restraint. Unpublished compilation of personal stories. **EXP. OF S/R**

Lalemond, K. (2004). Non-abusive psychological and physical intervention for a safer workplace. Training program information. Auburn, ME: NAPPI, Inc. **S/R RISK FACTORS**

Lanza, M. L., Kayne, H. L., Pattison, I., Hicks, C., & Islam, S. (1994). Predicting violence: Nursing diagnosis versus psychiatric diagnosis. *Nursing Diagnosis*, 5, 151-158. **S/R RISK FACTORS**

Lebel J, Stromberg N, Duckworth K, Kerzner J, Goldstein R, Weeks M, Harper G., LaFlair L, Sudders M (2004) Child and Adolescent Inpatient Restraint Reduction: A State Initiative to Promote Strength-Based Care (c) *Journal of the American Academy of Child & Adolescent Psychiatry*, Volume 43, Number 1,37-45. **REAL REDUCTION**

LeBel J, Goldstein R (2005) The Economic Cost of Using Restraint and the Value Added by Restraint Reduction or Elimination. *Psychiatric Services* 56:1109-1114. **REAL REDUCTION**

LeBel, J., Stromberg, N. (2004) Experiences of S/R. Unpublished Papers **EXP. OF S/R**

LeDoux, J. (1996). *The emotional brain*. New York, NY: Simon & Schuster. **EFFECTS OF TRAUMA**

LeDoux, J. (2002). *Synaptic self: How our brains become who we are*. New York: Viking Press. **EFFECTS OF TRAUMA**

[Kirjoita teksti]

Legris, J., Walters, M., & Browne, G. (1999). The impact of seclusion on the treatment outcomes of psychotic inpatients. *Journal of Advanced Nursing*, 30, 448-459. **ASSUMPTIONS**

Lidz, C., Mulvey, E., Gardner, W. (1993). The accuracy of predictions of violence to others. *Journal of the American Association*. Vol. 269:1007–1011. **ASSUMPTIONS**

Lieberman, Dodd, & De Lauro. (1999). Testimony to the Senate Committee on Finance. **ASSUMPTIONS**

Liotti M, Panksepp J (2004). Imaging human emotions and affective feelings: implications for biological psychiatry. In *Textbook of Biological Psychiatry* (J Panksepp, Ed.) Hoboken, NJ, Wiley-Liss, 33-74. **REAL REDUCTION**

Lipschitz, DS, Winegar, RK, Hatnick, E, Foote, B, Southwick, SM. (1999). Posttraumatic Disorder in Hospitalized Adolescents: Psychiatric Comorbidity and Clinical Correlates. *Journal of the American Academy of Child & Adolescent Psychiatry*. 38(4):385-392. **TRAUMA INFORMED CARE**

Love CC, Hunter ME (1996): Violence in public sector psychiatric hospitals: Benchmarking nursing staff injury rates, *Journal of Psychosocial Nursing*, 34(5): 30-34. **ASSUMPTIONS**

Luiselli, J. K., Bastien, J. S., & Putnam, R. F. (1998). Behavioral assessment and analysis of mechanical restraint utilization on a psychiatric, child, and adolescent inpatient setting. *Behavioral Interventions*, 62, 366-374. **ASSUMPTIONS**

Magee, SK & Ellis J (2001). The detrimental effects of physical restraint as a consequence for inappropriate classroom behavior. *Journal of Applied Behavior Analysis*, 34, 501-504. **ASSUMPTIONS**

Maine Department of Behavioral and Developmental Services (Maine BDS). (2000). Unpublished seclusion- and restraint-related documents. Augusta, ME: Maine BDS. **TRAUMA INFORMED CARE**

Mann, L. S., Wise, T. N., & Shay, L. (1993). A prospective study of psychiatry patients' attitudes toward the seclusion room experience. *General Hospital Psychiatry*, 15, 177-182. **ASSUMPTIONS**

Mazelis, R. (Summer/Fall, 1999). SIV: The context is trauma. *The Cutting Edge: A Newsletter for Women Living With Self-Inflicted Violence*. Vol. 10, Issues 2/3 (38/39). **EFFECTS OF TRAUMA**

Megargee, E.I. (1982). Psychological assessment in jails: Implementation of the standards recommended by the National Advisory Commission on Criminal Justice Standards. *Crime and Delinquency Issues*. National Institute of Mental Health. , 82, 100-125. **S/R RISK FACTORS**

Mead, S. (2002.). Peer support/Peer bridger training manual. Author. **PEER ROLES**

Merriam-Webster's The New York Times Crossword Dictionary, June 6, 2001.

Simon & Schuster Crossword by Lark Productions LLC. **S/R RISK FACTORS**

Martinez, R. J., Grimm, M., & Adamson, M. (1999). From the other side of the door: Patient views of seclusion. *Journal of Psychosocial Nursing*, 37(3), 13-22. **ASSUMPTIONS, EXP. OF S/R**

[Kirjoita teksti]

Massachusetts Coalition for the Prevention of Medical Errors (2006, March). When Things Go Wrong: Responding to Adverse Events. A Consensus Statement of the Harvard Affiliated Hospitals. May be ordered from www.macoalition.org
REAL REDUCTION

Massachusetts Department of Mental Health (MA DMH). (2001, 2007). Unpublished seclusion- and restraint-related documents. Boston, MA: Massachusetts Department of Mental Health. **DEBRIEFING**

Massachusetts Department of Mental Health (MA DMH). (2006). Promoting Strength-Based Care (manual). **S/R TOOLS**

Massachusetts Department of Mental Health (MA DMH). (2003, January). Unpublished survey on kids perspective on restrain & seclusion. Conducted by Spofford, Goldstein, Weeks, LeBel, & Stromberg. **S/R TOOLS**

May, D. D., Grubbs, L. M. N., & Binder, R. L. (2000). The extent, nature, and precipitating factors of nurse assault among three groups of registered nurses in a regional medical center. *Journal of Emergency Nursing*, 28, 11-17. **S/R RISK FACTORS**

Mazelis, R. (Summer/Fall, 1999). SIV: The context is trauma. *The Cutting Edge: A Newsletter for Women Living With Self-Inflicted Violence*. Vol. 10, Issues 2/3 (38/39). **EFFECTS OF TRAUMA**

Meehan, T., Bergen, H. & Fjeldsoe, K. (2004). Staff and patient perceptions of seclusion: Has anything changed? *Journal of Advanced Nursing*, 47 (1), 33-38. **ASSUMPTIONS**

Mildred, L. (2002). Seclusion and restraints: A failure, not a treatment. California Senate Office of Research. **ASSUMPTIONS**

Miller, D. E. (1986). The management of misbehavior by seclusion. *Residential Treatment for Children and Youth*, 4, 63-73. **ASSUMPTIONS**

Miller R.J. (2004). Trauma-informed treatment of suicidal and self harming patients in the inpatient setting. Unpublished paper presented to the Department of Mental Health, Boston, Massachusetts, December 15, 2004. **S/R TOOLS**

Mohr WK, Pumariega AJ (2004). Level systems: inpatient programming whose time has passed. *Journal of Child & Adolescent Psychiatric Nursing*, 17:113-125 **REAL REDUCTION**

Mohr W. K., & Anderson, J. A. (2001). Faulty assumptions associated with the use of restraints with children. *Journal of Child and Adolescent Psychiatric Nursing*, 14, 141-151. **S/R RISK FACTORS**

Mohr, W. K., Petti, T. A., Mohr, B. D. (2003). Adverse effects associated with physical restraint. *Canadian Journal of Psychiatry*; (2003, June), Vol. 48, Issue 5. **S/R RISK FACTORS**

Mohr, W. K., & Mohr, B. D. (2000). Mechanisms of death and injury proximal to restraint use. *Archives of Psychiatric Nursing*, XIV, 285-295. **S/R RISK FACTORS**

Morrison, E. F. (1989). The tradition of toughness: A study of nonprofessional nursing care in psychiatric nursing. *Image: Journal of Nursing Scholarship*, 22(1), 32-38. **S/R RISK FACTORS**

Morrison, E. F. (1992). A coercive interactional style as an antecedent to aggression in psychiatric patients. *Research in Nursing and Health*, 15(6), 421-31. **S/R RISK FACTORS**

[Kirjoita teksti]

Morrison, E. F. (1998). The culture of caregiving and aggression in psychiatric settings. *Archives of Psychiatric Nursing*, 12(1), 21-31. **S/R RISK FACTORS**

Morrison, E. F. (2001). Lessons learned from the trenches about violence. *Archives of Psychiatric Nursing*, 15(2), 51-2. **S/R RISK FACTORS**

Morrison, L. (2002). The lethal hazard of prone restraint: Positional asphyxiation. Oakland, CA: Protection & Advocacy, Inc. **S/R RISK FACTORS**

Mossman, D. (1994). Assessing prediction of violence being accurate about accuracy. *Journal of Consulting Clinical Psychology*. 62:783-792. **ASSUMPTIONS**

Mowbray, C.T., Moxley, D.P. & Collins, M.E. (1998) Consumer as mental health providers: first person accounts of benefits and limitations. *Journal of Behavioral Services & Research* 25, (4), 3, 174-182 **PEER ROLES**

Mueser, K. T., Goodman, L. B., Trumbetta, S. L., Rosenberg, S. D., Osher, F. C., Vidaver, R., Auciello, P., & Foy, D. W. (1998). Trauma and posttraumatic stress disorder in severe mental illness. *Journal of Consulting and Clinical Psychology*, 66, 493-499. **TRAUMA INFORMED CARE, SETTING THE STAGE**

Mueser, K. T., Salyers, M. P., Rosenberg, S. D., Goodman, L. A., Essock, S. M., Osher, F. C., Swartz, M. S., & Butterfield, M. (in press). Interpersonal trauma and posttraumatic stress disorder in patients with severe mental illness: Demographic, clinical, and health correlates. *Schizophrenia Bulletin*. **TRAUMA INFORMED CARE**

Murphy, T. & Bennington-Davis, M. (2005). Restraint and Seclusion: The Model for Eliminating Their Use in Healthcare. Marblehead, MA: HCPRO, Inc. **SETTING THE STAGE**

Najavits LM, Weiss RD, Shaw SR, Muenz L. (1998). Seeking Safety: Outcome of a new cognitive-behavioral psychotherapy for women with posttraumatic stress disorder and substance dependence. *Journal of Traumatic Stress* 11:437-456. **TRAUMA INFORMED CARE**

Najavits, L. (2003, January 17). Seeking safety. Retrieved from www.seekingsafety.org/3-02%20arts/training%20in%20SS-s.pdf **TRAUMA INFORMED CARE**

NASMHPD/NTAC. (2004/Fall). E-Report on recovery. Networks. Retrieved from the Internet on November 12, 2004 @ http://www.nasmhpd.org/spec_e-eport_fall04intro.cfm. **TRAUMA INFORMED CARE**

National Alliance for the Mentally Ill (NAMI). (2003, January 11). A summary of reports of restraints & seclusion abuse received since the October 1998 investigation by The Hartford Courant. Retrieved January 11, 2003 from www.nami.org/update/hartford.html **ASSUMPTIONS**

National Association of Psychiatric Health Systems (NAPHS). (2003). Learning from each other: Success stories and ideas for reducing restraint/seclusion in behavioral health. Retrieved February 27, 2003 from <http://www.naphs.org/rscampaign/index.html> **S/R RISK FACTORS, SETTING THE STAGE**

National Association of State Mental Health Program Directors (NASMHPD). (1998). Executive summary: Responding to the behavioral healthcare issues of persons with histories of physical and sexual abuse. Alexandria, VA: National Association of State Mental Health Program Directors. **TRAUMA INFORMED CARE**

[Kirjoita teksti]

NASMHPD Medical Director S/R Series (1). (1999). Reducing the Use of Seclusion and Restraint: Findings, Strategies, and Recommendations. Alexandria, VA: National Association of State Mental Health Program Directors (NASMHPD).

SETTING THE STAGE

NASMHPD, 2005/National Executive Training Institute (NETI). (2005, 2015). Training curriculum for reduction of seclusion and restraint. Alexandria, VA: National Association of State Mental Health Program Directors (NASMHPD), National Technical Assistance Center for State Mental Health Planning (NTAC). **SETTING THE STAGE, TRAUMA INFORMED CARE, S/R RISK FACTORS**

National Institute of Mental Health (NIMH). (2011). Facts about post traumatic stress disorder. Author. Retrieved on July 7, 2011 from http://www.nimh.nih.gov/statistics/1AD_PTSD_ADULT.shtml. **TRAUMA INFORMED CARE**

Natta, M. B., Holmbeck, G. N., Kupst, M. J., Pines, R. J. & Schulman, J. L. (1990). Sequences of staff-child interactions on a psychiatric inpatient unit. *Journal of Abnormal Child Psychiatry*, 18, 1-14. **ASSUMPTIONS**

NBC10.com (NBC's Philadelphia affiliate). February 9, 2006. Boy Dies At Lancaster Behavioral Treatment Center. Retrieved on January 17, 2006 from: <http://www.nbc10.com/news/6885605/detail.html>. **ASSUMPTIONS**

NEADS Puppy Program information can be retrieved from the Internet at:
<http://www.neads.org/puppyprogram/index.shtml> **REAL REDUCTION**

New York Association of Psychiatric Rehabilitation Services (NYAPRS). (2002, October 31). McCall: 30% of state hospital staff not getting adequate crisis training. *Mental Health E-News*. **ASSUMPTIONS**

New York Times. October 31, 2002. Hospital Worker Dies After Kick by Patient. Retrieved on January 18, 2007, from <http://query.nytimes.com/gst/fullpage.html?res=9C06E1DE113FF932A05753C1A9649C8B63>. **ASSUMPTIONS**

Nijman, H. L., & Rector, G. (1999). Crowding and aggression on inpatient psychiatric wards. *Psychiatric Services*, 50, 830-831. **S/R RISK FACTORS**

Noble Hospital, Wetsfield Massachusetts. Various unpublished staff materials. **S/R TOOLS**

O'Brian, L., & Cole, R. (2004). Mental health nursing practice in acute psychiatric close-observation areas. *International Journal of Mental Health Nursing*, 13, 89-99. **S/R RISK FACTORS**

Office of Inspector General [OIG] (2006). Hospital Reporting of Deaths Related to Restraint and Seclusion, OEI-09-04-00350, Department of Health and Human Services, Washington, D.C. **ASSUMPTIONS**

Ohio DMRDD (June, 2005). Up for the Challenge, Behavior Support Assistance Series. Retrieved on May 16, 2006 from http://odmrdd.state.oh.us/Includes/Press_Releases/UpChallJune2005.pdf **ASSUMPTIONS**

Okin, R.L. (1985). Variation among state hospitals in use of seclusion and restraint. *Psychiatric Services*, 36, 648-652. **S/R RISK FACTORS**

Onken, S., Dumont, J., Ridgway, P., Dornan, D., & Ralph, R. (2002). Mental health recovery: What helps and what hinders? A national research project for the development of recovery facilitating system performance indicators. Alexandria, VA: National Technical Assistance Center for State Mental Health Planning, National Association of State Mental Health Program Directors. **SETTING THE STAGE**

[Kirjoita teksti]

Otto, R.K. (2000). Assessing and managing violence risk in outpatient settings. *Journal of Clinical Psychology*, 56, 1239-1262. **S/R RISK FACTORS**

Owens, G.P., Baker, D.G., Kasckow, J. Ciesla, J.A., & Mohamed, S. (2005). Review of assessment and treatment of PTSD among elderly American armed forces veterans, *Int J Geriatr Psychiatry*, 20: 1118–1130. **TRAUMA INFORMED CARE**

Panksepp, J. P. (1998). *Affective neuroscience: The foundation of human and animal emotions.* New York, NY: Oxford. **EFFECTS OF TRAUMA, REAL REDUCTION**

Panksepp J (2003). “Laughing” rats and the evolutionary antecedents of human joy? *Physiol Behav* 79(3): 533-47 **REAL REDUCTION**

Papolos, D. & Papolos, J. (1999). *The bipolar child: The definitive and reassuring guide to childhood’s most misunderstood disorder.* New York: Broadway Books. **ASSUMPTIONS**

Parkes, J. (2000). Sudden death during restraint: A study to measure the effect of restraint positions on the rate of recovery from exercise. *Medicine, Science, and the Law*, 40 (1), 39-44. **S/R RISK FACTORS**

Paterson, B. Bradley, P., Stark, C., Saddler, D., Leadbetter, D., Allen, D. (2003). Deaths associated with restraint use in health and social care in the UK. The results of a preliminary survey, *Journal of Psychiatric and Mental Health Nursing*. 10, 3-15. **S/R RISK FACTORS**

Pereira AC, Huddleston DE, Brickman AM, Sosunov AA, Hen R, McKhann GM, Sloan R, Gage FH, Brown TR, Small SA. (2007, Mar 27). An in vivo correlate of exercise-induced neurogenesis in the adult dentate gyrus. *Proc Natl Acad Sci U S A*, 104(13):5638-43. Epub 2007. **EFFECTS OF TRAUMA**

Petti, T. A., Mohr, W., Somers, J. W., & Sims, L. (2001). Perceptions of seclusion and restraint by patients and staff in an intermediate-term facility. *Journal of Child and Adolescent Psychiatric Nursing*, 14, 115-127. **S/R RISK FACTORS**

Pitman, R.K., Gilbertson, M.W., Gurvits, T.V., et al. (2006). Clarifying the origin of biological abnormalities in PTSD through the study of identical twins discordant for combat exposure. *Ann NY Acad Sci*, 1071, 242-254. **EFFECTS OF TRAUMA**

Prescott, L. (2000, April 28). Veterans of abuse and daughters of the dark: The politics of naming and risk of transformation in building partnerships for change. Keynote address, 2nd annual convention of the International Society of Psychiatric Mental Health Nurses, Miami, FL. **TRAUMA INFORMED CARE**

The President’s New Freedom Commission on Mental Health, (2003). *Achieving the Promise: Transforming Mental Health Care in America.* Executive Summary. DHHS Pub. No. SMA-03-3832. Rockville, MD. **PEER ROLES, TRAUMA INFORMED CARE, SETTING THE STAGE**

Price TB, David B, & Otis D. (2004). The use of restraint and seclusion in different racial groups in an inpatient forensic hospital, *Journal of American Academy of Psychiatry Law*, 32(2): 163-8 **ASSUMPTIONS**

Protection & Advocacy, Inc. (PAI). (2002). *The Lethal Hazard of Prone Restraint: Positional Asphyxiation.* Investigations Unit, Oakland, CA. Publication No. 7018-1 **S/R RISK FACTORS**

[Kirjoita teksti]

Psychiatric Patient Advocate Office Review of Seclusion and Restraint Practices in Ontario Provincial Psychiatric Hospitals (October 2001). Retrieved from the internet on April 16, 2008 from: <http://www.ppao.gov.on.ca/pdfs/pos-sec.pdf> **ASSUMPTIONS**

Quinn, R. (1996). Deep change. San Francisco: Josey-Bass, Inc. **SETTING THE STAGE**

Ray, N. K., Myers, K. J., & Rappaport, M. E. (1996). Patient perspectives on restraint and seclusion experiences: A survey of former patients of New York State psychiatric facilities. *Psychiatric Rehabilitation Journal*, 20, 11-18. **ASSUMPTIONS**

Regan, K, unpublished quality improvement project as cited in LeBel, J. (2004) AACAP 51st Annual Meeting Presentation, Washington, D.C. **ASSUMPTIONS**

Restak, R. M. (1988). The mind. New York, NY: Bantam. **EFFECTS OF TRAUMA**

Richter, D., & Whittington, R. (2006). Violence in mental health settings: Causes, consequences, management. New York: Springer **SETTING THE STAGE**

Robins, C.S., Sauvageot, J.A., Cusack, K.J., Suffoletta-Maierle, S., & Frueh, B. C. (2005). Consumers' perceptions of negative experiences and "sanctuary harm" in psychiatric settings. *Psychiatric Services*, 56, 1134-1138. **S/R RISK FACTORS**

Rosenhan, D. (1973). On being sane in insane places. *Science*, 179, 250-258. **S/R RISK FACTORS**

Rosenberg, S. D., Mueser, K. T., Friedman, M. J., Gorman, P. G., Drake, R. E., Vidaver, R. M., Torrey, W. C., & Jankowski, M. K. (2001). Developing effective treatments for posttraumatic disorders among people with severe mental illness. *Psychiatric Services*, 52, 1453-1461. **TRAUMA INFORMED CARE**

Ross, C., Miller, S., Reagor, P., Bjornson, L., Fraser, G., & Anderson, G. (1990). Structured interview data on 102 cases of Multiple Personality Disorder from four centers. *J Psychiatry*, 147, 596-601. **TRAUMA INFORMED CARE**

Ryan, E.P., Hart, V.S., Messick, D.L., Aaron, J., & Burnette, M. (2004). A prospective study of assault against staff by youths in a state psychiatric hospital. *Psychiatric Services*, 55, 665-670. **S/R RISK FACTORS**

Ryan, R (2000) Health Promoting Medication Use, Circle of Health, Clinical Services to Persons with Developmental Disabilities, Retrieved on May 21, 2006 from <http://cspdd.org/h-healthpr.php> **TRAUMA INFORMED CARE**

Sailas E & Fenton M (2000). Seclusion and restraint for people with serious mental illnesses. *The Cochrane Database of Systematic Reviews*, Issue 1. Art. No.: CD001163. DOI: 10.1002/14651858.CD001163. Retrieved on April 9, 2006 from <http://www.update-software.com/Abstracts/AB001163.htm>. **ASSUMPTIONS**

Saigh P.A., Yasik et al. (1999). Child-adolescent posttraumatic stress disorder: prevalence, risk factors and comorbidity. In Saigh, Bremner (Eds.), *Posttraumatic Stress Disorder: A Comprehensive Text* (pp18-43). Boston:Allyn and Bacon **TRAUMA INFORMED CARE**

Saltzman et al (2001). Trauma and grief focused intervention for adolescents exposed to community violence: results of a school-based screening and group treatment protocol. *Group Dynamics: Theory, Research, and Practice*, 5, (4), 291-303. **TRAUMA INFORMED CARE**

[Kirjoita teksti]

Salzer MS & Shear SL (2002). Identifying consumer-provider benefits in evaluations of consumer-delivered services. *Psychiatric Rehabilitation Journal*, 25(3), 281-288. **PEER ROLES**

Sariola, H., and Uutela, A. (1994). The prevalence of child sexual abuse in Finland. *Child Abuse and Neglect*, 18: 827-835. **TRAUMA INFORMED CARE**

Saxe, Ellis, Kaplow, Grant, Tames. (2004) Boston University Medical Center **EFFECTS OF TRAUMA**

Scheeringa, M.S., Zeanah, C.H., & Cohen, J.A. (2010). PTSD in children and adolescents: toward an empirically based algorithm. *Depression and Anxiety*, 0:1-13. **TRAUMA INFORMED CARE**

Schwab-Stone, ME et al. (1995). No Safe Haven: A study of violence exposure in an urban community. *Journal of the American Academy of Child and Adolescent Psychiatry*, 34(10), 1343-1352. **TRAUMA INFORMED CARE**

Schneider, C. & Miller, J. (2005, May 7). Boy's pleas for aid denied: Inhaler withheld, restrained teen died. *Atlanta Journal-Constitution*. Retrieved from <http://www.ajc.com/metro/content/metro/0505/07a1camp.html> on September 8, 2005. **S/R RISK FACTORS**

Scholtes, P. R., Joiner, B. L., & Streibel. (1998). *The team handbook* (2nd Ed). Madison, WI: Oriel. **DEBRIEFING**

Shonkoff, J. P., & Phillips, D. (Eds.). (November 2000). *From neurons to neighborhoods: The science of early childhood development*. National Research Council Institute of Medicine. National Academy Press. **EFFECTS OF TRAUMA**

Siegel, J. M., Sorenson, S. B., Golding, J. M., Burnam, M. A. and Stein, J. A. (1987) The prevalence of childhood sexual assault: the Los Angeles epidemiologic catchment area project. *American Journal of Epidemiology*, 126: 1141-1153. **TRAUMA INFORMED CARE**

Smith, P., Fox, L., Johnson, L., McCormick, M., Nihart, M. A., Scmiar, N., & Schindler, M. (2002). *Professional assault response training*. San Clemente, CA: Privately published. **ELEVATING**

Snyder, M. (2008). Late-onset posttraumatic stress disorder. *Journal of Psychosocial Nursing and Mental Health Services*, 46(11), 39-44. **EFFECTS OF TRAUMA**

Snyder, M. (2008). Late-onset posttraumatic stress disorder. *Journal of Psychosocial Nursing and Mental Health Services*, 46(11), 39-44. **EFFECTS OF TRAUMA**

Sobsey, D. & Doe, T. (1991). Patterns of sexual abuse and assault. *Sexuality and Disability*, 9 (3): 243-259. **TRAUMA INFORMED CARE**

Sobsey, D. (1994). *Violence and Abuse in the Lives of People with Disabilities*. Baltimore: Paul H. Brooks. **TRAUMA INFORMED CARE**

Solomon, P. (2004). Peer Support/Peer Provided services underlying processes, benefits, and critical ingredients. *Psychiatric Rehabilitation Journal*, 27. 392-401. **PEER ROLES**

Solomon, P. & Draine, J. (1995) 'One-year outcomes of a randomized trial of consumer case management' *Evaluation and Program Planning*, 18, 117-127. **PEER ROLES**

[Kirjoita teksti]

Solomon, S.D. & Davidson, J.R. (1997). Trauma: Prevalence, impairment, service use and cost. *Journal of Clinical Psychiatry*, 58, (Suppl. 9): 5-11. **EFFECTS OF TRAUMA**

Steinert, T., Lepping, P., Bernhardsgrutter, R. Conca, A., Hatling, T., Janssen, W., Keski-Valkama, A., Mayoral, F., Whittington, R. (2010). Incidence of seclusion and restraint in psychiatric hospitals: a literature review and survey of international trends, *Soc Psychiat Epidemiol* , 45:889–897. **ASSUMPTIONS**

Stefan, S. (2006). Emergency department treatment of the psychiatric patient. New York: Oxford University Press. **S/R RISK FACTORS**

Substance Abuse Mental Health Services Administration (SAMHSA) (2012). Trauma informed approach. Retrieved on August 19, 2016, from <http://www.samhsa.gov/nctic/trauma-interventions>. **TRAUMA INFORMED CARE**

Sundram, C.J. (1994). Quality assurance in an era of consumer empowerment and choice. *Mental Retardation*, 32:371-374. **ASSUMPTIONS**

Surget A, Tanti A, Leonardo ED, Laugeray A, Rainer Q, Touma C, Palme R, Griebel G, Iburguen-Vargas Y, Hen R, Belzung C. (2011, May 3). Antidepressants recruit new neurons to improve stress response regulation. *Mol Psychiatry*. [Epub ahead of print]. **EFFECTS OF TRAUMA**

Tanskanen, A., Hintikka, J., Honkalampi, K., Haatainen, K., Koivumaa-Honkanen, H., & Viinamaki, H. (2004). Impact of multiple traumatic experiences on the persistence of depressive symptoms – a population-based study. *Nordic J Psychiatry*, 58(6):459-464. **TRAUMA INFORMED CARE**

Teitelbaum A., Volpo S., Paran R., Zislin J., Drumer D., Raskin S., Katz G., Shlafman M., Gaber A., & Durst R. (2007). Multisensory environmental intervention (snoezelen) as a preventive alternative to seclusion and restraint in closed psychiatric wards. *Harefuah*. 146(1):11-4, 79-80. **S/R TOOLS**

Teplin, L.A. et al, (2002). Psychiatric disorders in youth in juvenile detention. *Archives of General Psychiatry*, 59, 1133-1143. **TRAUMA INFORMED CARE**

Terr LC. (1991). Childhood traumas: an outline and overview. *Am J Psychiatry*. Jan: 148(1):10-20. Review. **TRAUMA INFORMED CARE**

Tracy, R., Donnelly, M., & Stultz, T. (2002). Decreasing the risk of death during restraints: A Logansport State Hospital Initiative. Eisenberg Award Nomination, System Innovation. Logansport, IN: Logansport State Hospital. **S/R RISK FACTORS**

Triffleman EG, Marmar CR, Elucchi KL, Ronfeldt, H. (1995). *Journal of Nervous and Mental disorders*, March;183(3):172-6. **TRAUMA INFORMED CARE**

U.S. Department of Health and Human Services (US DHHS). (1999). Mental health: A report of the Surgeon General. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, National Institutes of Health, National Institute of Mental Health. **PEER ROLES, TRAUMA INFORMED CARE, SETTING THE STAGE**

[Kirjoita teksti]

U.S. Department of Labor (2005). Lost-work time injuries and illness: Characteristics and resulting time away from work 2004, Press Release USDL 05-2312, Retrieved on: April 8, 2006 from: <http://www.bls.gov/news.release/osh2.nr0.htm>

ASSUMPTIONS

UNICEF (2003, September). 'A league table of child maltreatment deaths in rich nations', Innocenti Report Card No.5. UNICEF Innocenti Research Centre, Florence. **TRAUMA INFORMED CARE**

U.S. Public Health Service (US PHS). (1999). The Surgeon General's call to action to prevent suicide. Washington, DC: U.S. Public Health Service. **PEER ROLES**

Van der Kolk BA (2004). Psychobiology of posttraumatic stress disorder: implications for treatment. In Textbook of Biological Psychiatry (J Panksepp, Ed.) Hoboken, NJ, Wiley-Liss, 319-344 **REAL REDUCTION**

Van Tosh, L., & Delvecchio, P. (2000). Consumer operated self-help programs: A technical report. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services **PEER ROLES**

Wadeson, H., & Carpenter, W. (1976). Impact of the seclusion room experience. Journal of Nervous and Mental Disease, 163, 318-328. **ASSUMPTIONS**

Wardlaw, K., Hughes, K., Young, L., and Fornaci, P. (2002, January 29). A Death at Rosewood: December 21, 2000. Maryland Disability Law Center. Retrieved on March 7, 2008, from www.mdldcalto.org/Rosewood.pdf. **ASSUMPTIONS**

Webster's New World Dictionary. (1994). 2nd College Edition. New York: Simon & Schuster. **ASSUMPTIONS**

Weiss, E. M., Altimari, D., Blint, D.F. et al. (October 1998). Deadly restraints. The Hartford Courant. **ASSUMPTIONS**

White, C., Holland, E., Marsland, D. & Oakes P. (2003). The identification of environments and cultures that promote the abuse of people with intellectual disabilities: a review of the literature. Journal of Applied Research in Intellectual Disabilities 16 1-9. **TRAUMA INFORMED CARE**

Widom, C.S. (1995). Victims of childhood sexual abuse – Later criminal consequences. National Institute of Justice: Research in Brief. Washington DC:US Department of Justice, Office of Justice Programs. **TRAUMA INFORMED CARE**

Wiseman, F. (1967). Ticut follies. (unknown production company) **SETTING THE STAGE**

Wolff, P. H. (1987). The development of behavioral states and the expression of emotions in early infancy: New proposals for investigation. Chicago, IL: University of Chicago Press. **EFFECTS OF TRAUMA**

Zimbhoff, D.L. (2003, April 8). Clinical management of agitation, Medscape Clinical Update. Retrieved on October 1, 2005, from <http://www.medscape.com/viewprogram/2311> **ASSUMPTIONS**

Zlotnick, C., Johnson, J. Kohn R., Vicente, B., Rioseco, P. & Saldivia, S. (2008). Childhood trauma, trauma in adulthood, and psychiatric diagnoses: Results from a community sample. Compr Psychiatry, 49(2), 163-9. **EFFECTS OF TRAUMA**

[Kirjoita teksti]